



**Northwest  
Compounding**

**COMPOUNDED FORMULATIONS  
2024**



# Product Guide

8505 SW Creekside Place, Suite 110

Beaverton, OR 97008

P: 503-352-3811 | F: 503-624-0591

[info@northwestcompounding.com](mailto:info@northwestcompounding.com)

[northwestcompounding.com](http://northwestcompounding.com)


# Top Quality Compounding.

EXTRAORDINARY CUSTOMER SERVICE.


## NORTHWEST COMPOUNDERS' MISSION

Since 2005, our pharmacy has accomplished an important mission: provide high-quality compounded medications and excellent customer service with care and speed.


WE DELIVER CUSTOMIZED CARE SO YOU CAN FOCUS ON WHAT IS IMPORTANT, YOUR PATIENTS.



TOP QUALITY



STREAMLINED ORDERING



EXPEDIENT FULFILLMENT

## WHAT IS COMPOUNDING?

Compounding is a pharmaceutical formulation process that produces unique, patient-specific medications for patients that cannot be treated with a commercially available product.

## WHEN DO YOU NEED COMPOUNDING?

Some of the most common instances that compounded medications are utilized in medicine are as follows:

- There are no viable commercial product options available to treat the patient's condition
- Using a compounded product will increase patient compliance due to difficulties taking a commercially available product
- The patient is allergic or intolerant to the inactive ingredients contained within a commercially available product
- The patient requires a specific dose that cannot be achieved by administering a commercially available product
- The patient's intended treatment regimen requires a route of delivery that is not commercially available

## Our Services.

### UNIQUE, CUSTOMIZED SOLUTIONS

- 25,000+ compounded formulations
- 8+ dosage forms
- Pet-friendly flavors
- Hypoallergenic formulations for pets with allergies or intolerances
- Unavailable, or temporarily backordered medications
- Bitter-free formulations for unpalatable drugs

### SHIPPING OPTIONS FOR EVERY NEED

- A variety of free and upgradeable shipping options for urgent or economical preferences
- Same day prescription pick up

### OUTSTANDING CUSTOMER SERVICE

- Our team is always available to help with orders and questions
- Charge accounts provided for clinics
- Easy-to-use online ordering portal for refills
- Automated refill reminders, mobile phone refill ordering and text message support through our smart phone app

## Product Quality and Standards.



### DEDICATION TO QUALITY

Northwest Compounders is officially accredited by the Accreditation Commission of Health Care (ACHC) for sterile and non-sterile compounding under their PCAB (Pharmacy Compounding Accreditation Board) program. Why it matters:

**Ensuring Quality:** PCAB accreditation assures patients, healthcare providers, and regulatory bodies that Northwest Compounders adheres to the highest standards of quality in compounding.

**Patient Safety:** PCAB accreditation ensures that Northwest Compounders follows precise compounding techniques, uses high-quality ingredients, certified equipment and maintains a sanitary work environment, reducing the risk of contamination and ensuring product safety for each individual patient need.

**Compliance with Regulators:** PCAB accreditation aligns Northwest Compounders with industry regulations and guidelines, including those set forth by the U.S. Pharmacopeial Convention (USP) and the Food and Drug Administration (FDA).

### OUR STANDARDS

- Each patient's prescription is made from scratch, using the best ingredients with the highest standards of quality
- Our products are tested by third-party laboratories to ensure they meet or exceed industry standards for purity, potency and sterility
- Our specialized compounding equipment is routinely calibrated and certified to maximize safety and accuracy in our products

# Table of Contents

	<b>7</b>	DENTISTRY AND PERIODONTOLOGY
	<b>8-9</b>	DERMATOLOGY
	<b>10</b>	EARS, NOSE AND THROAT
	<b>11-12</b>	MEN'S HEALTH
	<b>13</b>	NATUROPATHIC MEDICINE
	<b>14-16</b>	PODIATRY AND SPORTS MEDICINE
	<b>17-20</b>	WOMEN'S HEALTH
	<b>21-22</b>	KNOWING OUR TOPICAL BASES



## Dentistry and Periodontology

### COMMONLY REQUESTED FORMULAS FOR BURNING MOUTH SYNDROME

- Amitriptyline HCL 2%-Gabapentin 6%-Lidocaine HCL 0.5% Oral Rinse
- Amitriptyline HCL 2%-Gabapentin 6%-Ketamine HCL 0.4%-Lidocaine HCL 0.5% Oral Rinse
- Diphenhydramine 12.5mg/5mL-Dexamethasone 0.5mg/5mL-Lidocaine 2%-Antacid 1:1:1:1 Oral Rinse
- Doxepin HCL 0.5% Oral Rinse

### COMMONLY REQUESTED FORMULAS FOR CONSCIOUS SEDATION

- Chloral Hydrate 100mg/mL Oral Suspension
- Hydroxyzine (as Pamoate) 25mg/5mL Oral Suspension

### COMMONLY REQUESTED FORMULAS FOR MOUTH ULCERS OR MUCOSITIS

- Dexamethasone 0.5mg/5mL SF Oral Rinse
- Dexamethasone 0.5mg/mL-Lidocaine 2% Oral Rinse
- Doxepin HCL 0.5% Oral Rinse
- Misoprostol 0.0024%-Diphenhydramine HCL 0.1%-Lidocaine HCL 1% Oral Rinse

### COMMONLY REQUESTED FORMULAS FOR ORAL CANDIDA

- Amphotericin B 100mg/mL Oral Suspension
- Nystatin 100,000 U/mL-Triamcinolone Acetonide 0.2% Oral Rinse

### COMMONLY REQUESTED FORMULAS FOR PATIENTS WHO NEED TOPICAL ANESTHETICS

- Lidocaine HCL 10%-Prilocaine HCL 10%-Tetracaine HCL 4% Dental Gel
- Lidocaine HCL 20%-Tetracaine HCL 4%-Phenylephrine HCL 2% Dental Gel
- Lidocaine HCL 10%-Phenylephrine HCL 2%-Prilocaine HCL 10%-Tetracaine HCL 4% Dental Gel



## Dermatology

### COMMONLY REQUESTED FORMULAS FOR ACNE

- Azelaic Acid 15% Topical Cream
- Azelaic Acid 15% Topical Anhydrous Gel
- Azelaic Acid 5%-Clindamycin 2% Topical Cream
- Azelaic Acid 5%-Clindamycin 2% Topical Anhydrous Gel
- Clindamycin 1%-Niacinamide 4%-Tretinoin 0.025% Topical Gel Anhydrous
- Tretinoin 0.025%-Niacinamide 2% Topical Cream or Topical Anhydrous Gel
- Tretinoin 0.05%-Niacinamide 2% Topical Cream or Topical Anhydrous Gel
- Tretinoin 0.1%-Niacinamide 2% Topical Cream or Topical Anhydrous Gel
- Tretinoin 0.025%-Niacinamide 2%-Azelaic Acid 5% Topical Cream or Topical Anhydrous Gel
- Tretinoin 0.05%-Niacinamide 2%-Azelaic Acid 5% Topical Cream or Topical Anhydrous Gel
- Tretinoin 0.1%-Niacinamide 2%-Azelaic Acid 5% Topical Cream or Topical Anhydrous Gel

### COMMONLY REQUESTED FORMULAS FOR ACTINIC KERATOSIS

- Fluorouracil 0.5%-Salicylic Acid 10% Topical Cream or Topical Anhydrous Gel
- Fluorouracil 0.5%-Diclofenac Sodium 3%-Niacinamide 1% Topical Anhydrous Gel

### COMMONLY REQUESTED FORMULAS FOR PSORIASIS AND ECZEMA

- Ketotifen 0.05% Topical Cream
- Ketotifen 0.05%-Naltrexone HCL 1% Topical Cream or Topical Anhydrous Gel
- Ketotifen 0.05%-Cyanocobalamin 0.07% Topical Cream or Topical Anhydrous Gel
- Zinc Pyrithione 0.2%-Clobetasol Propionate 0.05%-Cyanocobalamin 0.07% Topical Cream

### COMMONLY REQUESTED FORMULAS FOR ROSACEA

- Azelaic Acid 15%-Ketotifen 0.05%-Oxymetazoline HCL 1% Topical Anhydrous Gel
- Azelaic Acid 15%-Metronidazole 1.2% Topical Anhydrous Gel
- Azelaic Acid 15%-Niacinamide 2% Topical Cream or Topical Anhydrous Gel
- Ketotifen 0.05% Topical Cream
- Metronidazole 0.75%-Ketotifen 0.05% Topical Cream or Topical Anhydrous Gel
- Metronidazole 1%-Niacinamide 4% Topical Cream or Topical Anhydrous Gel



## Dermatology

### COMMONLY REQUESTED FORMULAS FOR SCAR HEALING

Aloe Vera 0.5% in PracaSil®-Plus Topical Gel

Niacinamide 2% in PracaSil®-Plus Topical Gel

Tretinoin 0.1% in PracaSil®-Plus Topical Gel

### COMMONLY REQUESTED FORMULAS FOR SHINGLES PAIN

Acyclovir 5%-Amitriptyline HCL 2%-Bupivacaine HCL 1%-Gabapentin 6%-Ketoprofen 5% Topical Anhydrous Gel

Acyclovir 2%-Amitriptyline HCL 2%-Gabapentin 10%-Ketoprofen 5%-Tetracaine 1% Topical Anhydrous Gel

Gabapentin 6%-Ketamine 6%-Lidocaine 6% Topical Anhydrous Gel

### COMMONLY REQUESTED FORMULAS FOR PATIENTS NEEDING A TOPICAL ANESTHETIC

Benzocaine 20%-Lidocaine 6%-Tetracaine 4%-DMSO 10% Topical Cream

Benzocaine 20%-Lidocaine 6%-Tetracaine 4% Topical Cream

Benzocaine 20%-Lidocaine 6%-Tetracaine 4% Topical Ointment

Benzocaine 10%-Lidocaine 5%-Tetracaine 2% Topical Cream

Benzocaine 10%-Lidocaine 5%-Tetracaine 2% Topical Ointment

### COMMONLY REQUESTED FORMULAS FOR WARTS

Fluorouracil 2.5%-Glycolic Acid 25% Topical Cream or Topical Anhydrous Cream

Fluorouracil 5%-Glycolic Acid 25% Topical Cream or Topical Anhydrous Cream



## Ear, Nose and Throat

### COMMONLY REQUESTED FORMULAS FOR BURNING MOUTH SYNDROME

Amitriptyline HCL 2%-Gabapentin 6%-Lidocaine HCL 0.5% Oral Rinse

Amitriptyline HCL 2%-Gabapentin 6%-Ketamine HCL 0.4%-Lidocaine HCL 0.5% Oral Rinse

Diphenhydramine 12.5mg/5mL-Dexamethasone 0.5mg/5mL-Lidocaine 2%-Antacid 1:1:1 Oral Rinse

Doxepin HCL 0.5% Oral Rinse

### COMMONLY REQUESTED FORMULAS FOR MOUTH ULCERS OR MUCOSITIS

Dexamethasone 0.5mg/5mL SF Oral Rinse

Dexamethasone 0.5mg/mL-Lidocaine 2% Oral Rinse

Doxepin HCL 0.5% Oral Rinse

Misoprostol 0.0024%-Diphenhydramine HCL 0.1%-Lidocaine HCL 1% Oral Rinse

### COMMONLY REQUESTED FORMULAS FOR ORAL THRUSH

Amphotericin B 100mg/mL Oral Suspension

Nystatin 100,000 U/mL-Triamcinolone Acetonide 0.2% Oral Rinse

### COMMONLY REQUESTED FORMULAS FOR OTITIS EXTERNA

Chloramphenicol 0.5% Otic Solution

Ciprofloxacin 0.3%-Hydrocortisone 1% Otic Solution

Gentamicin 1.7mg/mL-Polymyxin B 10,000 U/mL-Neomycin 3.5mg/mL-Hydrocortisone 1% Otic Solution

Ketoconazole 2%-Ciprofloxacin 2%-Triamcinolone 0.5% Otic Gel

### COMMONLY REQUESTED FORMULAS FOR SINUSITIS

THE FOLLOWING FORMULAS ARE COMMONLY UTILIZED IN A NASAL NEBULIZATION DEVICE

Levofloxacin 100mg-Mometasone Furoate 0.6mg Capsules (for nasal nebulization)

Tobramycin 125mg-Budesonide 0.6mg Capsules (for nasal nebulization)

Tobramycin 125mg-Budesonide 0.6mg-Amphotericin B 5mg Capsules (for nasal nebulization)

Tobramycin 100mg-Betamethasone 0.5mg-Amphotericin B 5mg Capsules (for nasal nebulization)

Tobramycin 100mg-Vancomycin 200mg-Betamethasone 0.5mg Capsules (for nasal nebulization)

Vancomycin 200mg-Betamethasone 0.5mg Capsules (for nasal nebulization)

Vancomycin 200mg-Betamethasone 0.5mg-Amphotericin B 5mg Capsules (for nasal nebulization)

### COMMONLY REQUESTED FORMULAS FOR XEROSTOMIA

Pilocarpine HCL 10mg/mL Oral Liquid



# Men's Health

## COMMONLY REQUESTED FORMULAS FOR RESTORING HORMONAL BALANCE IN MEN

- Testosterone 0.5% to 20% Topical Gel
- Testosterone 5% to 20% Topical Cream or Topical Anhydrous Cream
- Testosterone 0.5mg to 200mg Oral Troche
- Testosterone 5%-Anastrozole 0.05% Topical Cream or Topical Anhydrous Cream

## COMMONLY REQUESTED FORMULAS FOR HEMORRHOIDS AND ANAL FISSURES

### HEMORRHOIDS

Hydrocortisone 1%-Lidocaine 2% Rectal Suppository

### ANAL FISSURES

- Diltiazem 1% in Petrolatum Ointment
- Diltiazem 2% in Petrolatum Ointment
- Diltiazem 1%-Lidocaine 5% in Petrolatum Ointment
- Diltiazem 2%-Lidocaine 5% in Petrolatum Ointment
- Nifedipine 0.2% in Lanolin/Petrolatum Ointment
- Nifedipine 0.3% in Lanolin/Petrolatum Ointment
- Nifedipine 0.5% in Lanolin/Petrolatum Ointment
- Nifedipine 0.2%-Lidocaine 5% in Lanolin/Petrolatum Ointment
- Nifedipine 0.3%-Lidocaine 5% in Lanolin/Petrolatum Ointment
- Nifedipine 0.5%-Lidocaine 5% in Lanolin/Petrolatum Ointment

## COMMONLY REQUESTED FORMULAS FOR THYROID REPLACEMENT

- T3 Liothyronine SR (0.1mcg to 100mcg) Capsules
- T3-T4 Liothyronine-Levothyroxine SR (0.1mcg to 100mcg and 10mcg to 250mcg) Capsules

## COMMONLY REQUESTED FORMULAS FOR PAIN AND INFLAMMATION

### ARTHRITIS/JOINT PAIN/INFLAMMATION

- Ibuprofen 20% Topical Cream or Topical Anhydrous Cream
- Ibuprofen 20%-Piroxicam 1% Topical Cream or Topical Anhydrous Cream
- Ketoprofen 10% Topical Cream or Topical Anhydrous Cream
- Ketoprofen 10%-Cyclobenzaprine HCL 2% Topical Cream or Topical Anhydrous Cream
- Piroxicam 5% Topical Cream or Topical Anhydrous Cream
- Naltrexone 1.5mg Capsule
- Naltrexone 3mg Capsule
- Naltrexone 4.5mg Capsule

### NEUROPATHIC PAIN

**COMBINATION PAIN CREAMS:** PRESCRIBERS TYPICALLY REQUEST THE COMBINATION OF 1 TO 6 OF THE FOLLOWING INGREDIENTS/CONCENTRATIONS INTO A COMPATIBLE TOPICAL CREAM BASE

- Amitriptyline HCL 2% to 5%
- Baclofen 1% to 3%
- Bupivacaine 2%
- Clonidine 0.1%-0.2%
- Cyclobenzaprine 2%
- Diclofenac 1% to 10%
- Gabapentin 5% to 10%
- Ibuprofen 5% to 20%
- Ketamine 1% to 10%
- Ketoprofen 1% to 10%
- Lidocaine 1% to 5%
- Prilocaine 1% to 5%
- Tetracaine 1% to 5%



## Naturopathic Medicine

### COMMONLY REQUESTED FORMULAS FOR BIOIDENTICAL HORMONE REPLACEMENT THERAPY

#### HORMONE AGENTS

Estrone (E1)

Estradiol (E2)

Estriol (E3)

DHEA

Pregnenolone

Progesterone

Testosterone

#### AVAILABLE DOSAGE FORMS

Capsule

Cream

Ointment

Suppository

Troche

### OTHER COMMONLY REQUESTED FORMULAS

Naltrexone 1.5mg Lactose-Free Capsules

Naltrexone 3mg Lactose-Free Capsules

Naltrexone 4.5mg Lactose-Free Capsules

Lactose-Free, Dye-Free, Gluten-Free, Allergen-Free, Excipient-Free Formulations

Plant-Sourced Pharmaceutical Ingredients



## Podiatry and Sports Medicine

### COMMONLY REQUESTED FORMULAS FOR ARTHRITIS/JOINT PAIN/INFLAMMATION

Ibuprofen 20% Topical Cream or Topical Anhydrous Cream

Ibuprofen 20%-Piroxicam 1% Topical Cream or Topical Anhydrous Cream

Ketoprofen 10% Topical Cream or Topical Anhydrous Cream

Ketoprofen 10%-Cyclobenzaprine HCL 2% Topical Cream or Topical Anhydrous Cream

Piroxicam 5% Topical Cream or Topical Anhydrous Cream

Naltrexone 1.5mg Capsule

Naltrexone 3mg Capsule

Naltrexone 4.5mg Capsule

### COMMONLY REQUESTED FORMULAS FOR BURNING FOOT SYNDROME

Amitriptyline HCL 2%-Baclofen 2% Topical Cream or Topical Anhydrous Cream

Amitriptyline HCL 2%-Baclofen 2%-Ketamine 5%-Ketoprofen 5% Topical Cream or Topical Anhydrous Cream

Amitriptyline HCL 1%-Flurbiprofen 10%-Gabapentin 6%-Lidocaine 2%-Prilocaine 2% Topical Cream or Topical Anhydrous Cream

Baclofen 1%-Gabapentin 10%-Clonidine HCL 0.2% Topical Cream or Topical Anhydrous Cream

Baclofen 2%-Gabapentin 6%-Ketamine 5%-Tizanidine HCL 0.2% Topical Cream or Topical Anhydrous Cream

Clonidine HCL 0.2%-Gabapentin 6%-Ketamine 10%-Nifedipine 2% Topical Cream or Topical Anhydrous Cream

### COMMONLY REQUESTED FORMULAS FOR DIABETIC NEUROPATHY

Amitriptyline HCL 2%-Baclofen 2% Topical Cream or Topical Anhydrous Cream

Amitriptyline HCL 2%-Baclofen 2%-Ketamine 5%-Ketoprofen 10% Topical Cream or Topical Anhydrous Cream

Amitriptyline HCL 2%-Ketoprofen 2%-Carbamazepine 2% Topical Cream or Topical Anhydrous Cream

Gabapentin 6%-Ketamine HCL 10%-Lidocaine 3%-Nifedipine 10%-Pentoxifylline 5%-Prilocaine 3% Topical Cream or Topical Anhydrous Cream

Gabapentin 6%-Ketamine HCL 10%-Nifedipine 2%-Tizanidine HCL 0.2% Topical Cream or Topical Anhydrous Cream

### COMMONLY REQUESTED FORMULAS FOR DIABETIC TOES

Nifedipine 4% Topical Cream or Topical Anhydrous Cream

Pentoxifylline 5% Topical Cream or Topical Anhydrous Cream

Nifedipine 3%-Pentoxifylline 3% Topical Cream or Topical Anhydrous Cream

Nifedipine 2%-Pentoxifylline 5% Topical Cream or Topical Anhydrous Cream

Ketamine 10%-Gabapentin 6%-Clonidine 0.2%-Nifedipine 2% Topical Cream or Topical Anhydrous Cream





# Podiatry and Sports Medicine

## COMMONLY REQUESTED FORMULAS FOR IONTOPHORESIS

- Dexamethasone 0.4% Iontophoresis Solution PF
- Dexamethasone 0.4%-Lidocaine HCL 4% Iontophoresis Solution PF
- Gabapentin 6% Iontophoresis Solution PF
- Ketoprofen 0.4% Iontophoresis Solution PF
- Ketoprofen 10% Iontophoresis Solution PF
- Ketoprofen 30% Iontophoresis Solution PF
- Lidocaine HCL 4% Iontophoresis Solution PF

## COMMONLY REQUESTED FORMULAS FOR NEUROPATHIC PAIN

**COMBINATION PAIN CREAMS:** PRESCRIBERS TYPICALLY REQUEST THE COMBINATION OF 1 TO 6 OF THE FOLLOWING INGREDIENTS/CONCENTRATIONS INTO A COMPATIBLE TOPICAL CREAM BASE

- Amitriptyline HCL 2% to 5%
- Baclofen 1% to 3%
- Bupivacaine 2%
- Clonidine 0.1%-0.2%
- Cyclobenzaprine 2%
- Diclofenac 1% to 10%
- Gabapentin 5% to 10%
- Ibuprofen 5% to 20%
- Ketamine 1% to 10%
- Ketoprofen 1% to 10%
- Lidocaine 1% to 5%
- Prilocaine 1% to 5%
- Tetracaine 1% to 5%

## COMMONLY REQUESTED FORMULAS FOR PLANTAR FASCIITIS

- Amitriptyline HCL 2%-Carbamazepine 2%-Ketoprofen 10% Topical Cream or Topical Anhydrous Cream
- Baclofen 2%-Gabapentin 5%-Ketoprofen 10%-Lidocaine 5% Topical Cream or Topical Anhydrous Cream
- Cyclobenzaprine HCL 2%-Ketoprofen 10% Topical Cream
- Cyclobenzaprine HCL 1%-Flurbiprofen 10%-Gabapentin 6%-Lidocaine 2%-Prilocaine HCL 2% Topical Cream
- Cyclobenzaprine HCL 1%-Ibuprofen 20%-Piroxicam 1% Topical Cream or Topical Anhydrous Cream
- Cyclobenzaprine HCL 2%- Baclofen 2%-Diclofenac Sodium 3%-Lidocaine 2% Topical Cream or Topical Anhydrous Cream
- Cyclobenzaprine HCL 2%-Baclofen 2%-Bupivacaine 1%-Diclofenac 8%-Gabapentin 6%-Ketamine 10% Topical Cream or Topical Anhydrous Cream
- Flurbiprofen 5%-Capsaicin 0.025%-Menthol 0.5%-Camphor 0.5% Topical Cream or Topical Anhydrous Cream

## COMMONLY REQUESTED FORMULAS FOR WARTS

- Fluorouracil 2.5%-Glycolic Acid 25% Topical Cream or Topical Anhydrous Cream
- Fluorouracil 5%-Glycolic Acid 25% Topical Cream or Topical Anhydrous Cream



## Women's Health

### COMMONLY REQUESTED FORMULAS FOR BACTERIAL VAGINOSIS

- Boric Acid 600mg Capsule (for vaginal insertion)
- Boric Acid 600mg Vaginal Suppository
- Clindamycin 100mg-Vitamin E 200 IU Vaginal Suppository
- Metronidazole 125mg/mL-Nystatin 25,000 U/mL Vaginal Cream

### COMMONLY REQUESTED FORMULAS FOR BIOIDENTICAL HORMONE REPLACEMENT THERAPY

#### HORMONE AGENTS

- Estrone (E1)
- Estradiol (E2)
- Estriol (E3)
- DHEA
- Pregnenolone
- Progesterone
- Testosterone

#### AVAILABLE DOSAGE FORMS

- Capsule
- Cream
- Ointment
- Suppository
- Troche

### COMMONLY REQUESTED FORMULAS FOR BREAST AND NIPPLE CARE FOR BREASTFEEDING MOTHERS

- Mupirocin 2%-Betamethasone 0.1% 1:1 with Miconazole 2% Topical Ointment
- Mupirocin 2%-Betamethasone 0.1%-Nystatin 100,000U/gm 1:1:1 Topical Ointment
- Mupirocin 2%-Betamethasone 0.1% 1:1 Topical Ointment

### COMMONLY REQUESTED FORMULAS FOR HEMORRHOIDS AND ANAL FISSURES

#### HEMORRHOIDS

- Hydrocortisone 1%-Lidocaine 2% Rectal Suppository

#### ANAL FISSURES

- Diltiazem 1% in Petrolatum Ointment
- Diltiazem 2% in Petrolatum Ointment
- Diltiazem 1%-Lidocaine 5% in Petrolatum Ointment
- Diltiazem 2%-Lidocaine 5% in Petrolatum Ointment
- Nifedipine 0.2% in Lanolin/Petrolatum Ointment
- Nifedipine 0.3% in Lanolin/Petrolatum Ointment
- Nifedipine 0.5% in Lanolin/Petrolatum Ointment
- Nifedipine 0.2%-Lidocaine 5% in Lanolin/Petrolatum Ointment
- Nifedipine 0.3%-Lidocaine 5% in Lanolin/Petrolatum Ointment
- Nifedipine 0.5%-Lidocaine 5% in Lanolin/Petrolatum Ointment

### COMMONLY REQUESTED FORMULAS FOR THYROID REPLACEMENT

- T3 Liothyronine SR (0.1mcg to 100mcg) Capsules
- T3-T4 Liothyronine-Levothyroxine SR (0.1mcg to 100mcg and 10mcg to 250mcg) Capsules

### COMMONLY REQUESTED FORMULAS FOR LOW LIBIDO

- Aminophylline 3%-Arginine 6% Vaginal Cream
- Aminophylline 3%-Arginine 6%-Sildenafil (as Citrate) 2% Vaginal Cream
- Arginine 6%-Papaverine HCL 0.1% Vaginal Cream
- Testosterone 0.2% Vaginal Gel



## Women's Health

### COMMONLY REQUESTED FORMULAS FOR PAIN AND INFLAMMATION

#### ARTHRITIS/JOINT PAIN/INFLAMMATION

Ibuprofen 20% Topical Cream or Topical Anhydrous Cream

Ibuprofen 20%-Piroxicam 1% Topical Cream or Topical Anhydrous Cream

Ketoprofen 10% Topical Cream or Topical Anhydrous Cream

Ketoprofen 10%-Cyclobenzaprine HCL 2% Topical Cream or Topical Anhydrous Cream

Piroxicam 5% Topical Cream or Topical Anhydrous Cream

Naltrexone 1.5mg Capsule

Naltrexone 3mg Capsule

Naltrexone 4.5mg Capsule

#### NEUROPATHIC PAIN

**COMBINATION PAIN CREAMS:** PRESCRIBERS TYPICALLY REQUEST THE COMBINATION OF 1 TO 6 OF THE FOLLOWING INGREDIENTS/CONCENTRATIONS INTO A COMPATIBLE TOPICAL CREAM BASE

Amitriptyline HCL 2% to 5%

Baclofen 1% to 3%

Bupivacaine 2%

Clonidine 0.1%-0.2%

Cyclobenzaprine 2%

Diclofenac 1% to 10%

Gabapentin 5% to 10%

Ibuprofen 5% to 20%

Ketamine 1% to 10%

Ketoprofen 1% to 10%

Lidocaine 1% to 5%

Prilocaine 1% to 5%

Tetracaine 1% to 5%

### COMMONLY REQUESTED FORMULAS FOR VAGINAL ATROPHY OR DRYNESS

Estradiol (E2) 0.01% Topical/Vaginal Cream (for patients with allergies or intolerances to Estrace®)

Estradiol (E2)-Estriol (E3) 50:50 0.5mg/0.5gm Vaginal Cream

Estradiol (E2)-Estriol (E3) 50:50 0.5mg/0.5gm Vaginal Gel

Estriol (E3) 0.025% to 1% Topical/Vaginal Cream

Estriol (E3) 0.05% Vaginal Gel

Estriol (E3) 1mg Vaginal Suppository

Estriol (E3) 0.1%-Progesterone 3% Vaginal Gel

Estriol (E3) 1mg-Progesterone 30mg Vaginal Suppository

Estriol (E3) 0.1%-Testosterone 0.1% Vaginal Gel

Estriol (E3) 0.025%-Testosterone 0.025% Vaginal Cream

### COMMONLY REQUESTED FORMULAS FOR VULVODYNIA

Amitriptyline HCL 0.25% to 5% Vaginal Cream

Amitriptyline HCL 2%-Baclofen 2% Vaginal Gel

Amitriptyline HCL 2%-Gabapentin 6%-Lidocaine HCL 2% Vaginal Cream

Baclofen 2%-Diazepam 1%-Ketamine HCL 0.5% Vaginal Gel

Diazepam 1mg to 50mg Vaginal Suppository

Gabapentin 6% Vaginal Gel



# Knowing Our Topical Bases

## DID YOU KNOW?

- Most of our formulas can be interchanged with the cream, gel and ointment bases listed below
- Each base has its own characteristics that impact price, default beyond-use dating and patient experience

### AQUEOUS BASES (CONTAINS WATER)

Product Name	Relative Cost	Default BUD*	Description
MucoLox®	\$\$\$\$	Up to 35 days	Clear gel. Inherent properties help improve API contact time with mucosal membranes. Good for oral cavity, nasal cavity, vaginal and rectal use.
Lipoderm® Cream	\$\$	Up to 35 days	Off white to beige color. Smooth and creamy texture. Absorbs quickly and non-sticky. Enhances skin permeation.
Clarifying® Cream	\$\$	Up to 35 days	White color. Smooth and shiny cream texture. Noncomedogenic. Supports skin health with avocado extract.
Versabase® Gel	\$\$	Up to 35 days	Transparent color. Smooth, silky and light texture. Absorbs easily. Good for topical, vaginal and rectal applications.
Versabase® Cream	\$\$	Up to 35 days	Soft and silky texture. Rubs in quickly. Stimulates the natural moisturizing barrier of the skin. Good for topical, vaginal and dermatological applications.
XemaTop® Cream	\$\$	Up to 35 days	Off white color. Smooth and creamy texture. Ideal for eczema, psoriasis and xerosis. Replenishes lipids within the skin and can improve the appearance of red, irritated skin.
HRT Gel Base	\$	Up to 35 days	Carbomer based silicone-in-water gel. Quick drying and rapid absorption properties. Odorless, non-irritating and paraben-free.
Saltstable LS Cream	\$	Up to 35 days	Smooth, silky and dry texture. Exhibits superior API carrying capacity (high loads) of multiple actives in one formulation.
VersaPro® Cream	\$	Up to 35 days	White color. Smooth and versatile cream. Contains Vitamin E and Aloe Vera to promote moisturization.
HRT Cream Base	\$	Up to 35 days	White color. Smooth and creamy texture. Non-greasy, non-sticky and non-scented. Paraben and petrolatum-free. Ideal vehicle for hormones or works well as a standalone cosmetic moisturizer. Contains Vitamin E and Aloe Vera.
PLO Gel	\$	Up to 35 days	Pluronic lecithin organogels (PLOs) are used in compounding as a vehicle for enhanced permeability of pharmaceuticals. Sensitive to external conditions such as temperature and light.

\* Some formulas using aqueous bases may have an extended beyond-use date (BUD) greater than 35 days if the literature provides a stability indicating assay

### NON-AQUEOUS BASES (CONTAINS NO WATER)

Product Name	Relative Cost	Default BUD*	Description
Pracasil®-Plus	\$\$\$\$	Up to 180 days	Clear, opaque gel. Proprietary blend of silicones and Pracaxi Oil. Appropriate for new or old scars. Promotes skin nurturing and soothing. Rich in skin-friendly fatty acids and lipids. Gluten-free, casein-free, dye-free and paraben-free.
Anhydrous Lipoderm® Cream	\$\$\$	Up to 180 days	Off white to beige color. Rich and silky cream texture. Lack of water content leaves a slicker feel compared to water-based Lipoderm Cream. Soy-free, paraben-free. High fatty acid content.
PermE8® Anhydrous Gel	\$\$\$	Up to 180 days	White to off white color. Smooth and silky gel texture. Lack of water content leaves a slicker feel compared to water based creams and gels.
VersaBase® Anhydrous HRT	\$\$\$	Up to 180 days	Smooth and creamy texture. Rubs into the skin easily. Lack of water content leaves a slicker feel compared to VersaBase Cream. No greasy or tacky residue. Soy-free, preservative-free and gluten-free.
WO6® Anhydrous Gel	\$\$\$	Up to 180 days	White to off white color. Smooth and creamy gel texture. Offers patients a refined cosmetic feel without being greasy or tacky. Preservative-free.
Ellage® Anhydrous	\$\$\$	Up to 180 days	Off white color. Smooth and shiny cream texture. Designed to be gentle on vaginal tissue while releasing drugs and maintaining contact with the mucosa.
VersaPro® Anhydrous Base	\$\$	Up to 180 days	Off white to pale amber translucent color. Soft, gel texture. Soy-free, preservative-free and petrolatum-free.
Petrolatum Ointment	\$	Up to 180 days	Clear, opaque color. Greasy texture. Petrolatum-based ointment. Promotes skin healing by creating a protective barrier.

\* Although non-aqueous formulas may be assigned a default beyond-use date (BUD) of 180 days, it is often beneficial for product consistency and conformity to only dispense up to a 120 day supply at a time



**Northwest  
Compounding**

**Top Quality  
Compounding.**

8505 SW Creekside Place, Suite 110  
Beaverton, OR 97008  
P: 503-352-3811 | F: 503-624-0591  
info@northwestcompounding.com  
northwestcompounding.com